

5 May 2022

Edjudina Soil Sampling Results

Gateway Mining Limited (**Company**) provides the attached announcement by DiscovEx Resources Limited (ASX:DCX) (**DCX**).

The announcement details the completion of a soil sampling program and the delineation of a highly prospective, large-scale surface gold anomaly, at the 80/20 joint venture between DCX and the Company over E39/1765 and E39/1882 located at Edjudina (**Tenements**) (**Joint Venture**). Under the Joint Venture, following the Company's sale of an 80% interest in the Tenements, the Company has a 20% free carried interest over the Tenements up until a decision to mine over the Tenements is made. The Company also owns a 1.5% gross revenue royalty over the Tenements (excluding iron ore).

This released has been authorised by:


Mark Cossom Managing Director

For and on behalf of GATEWAY MINING LIMITED

InvestorsMediaMark CossomNicholas ReadManaging DirectorRead CorporateT: 02 8316 3998T: 08 9388 1474orKar ChuaCompany SecretaryT: 02 8316 3998

Gateway Mining Ltd B1/431 Roberts Road Subiaco WA 6008

LinkedIn: @gateway-mining Twitter: @gateway_mining www.gatewaymining.com.au



ASX ANNOUNCEMENT – DISCOVEX RESOURCES LIMITED 05/05/2022

Surface Sampling defines exceptional target at Edjudina

Kilometre scale gold anomaly generated

- Highly encouraging gold in soil anomaly generated from geochemical sampling at the Spartan Prospect.
 - Anomalous gold trend (>50ppb) continuous over 1.3km.
 - High tenor results up to 100ppb Au (0.1g/t Au).
 - Prospective anomaly remains open to the north-east.
- Additional sampling to continue over the coming months and drilling approvals in progress.

Putting the Explore back into Modern Exploration

DiscovEx Resources Limited (ASX: DCX, DiscovEx or the Company) is pleased to announce the completion of a soil sampling program, and the delineation of a highly prospective, large-scale surface gold anomaly at the Edjudina Project, located approximately 250km north-east of Kalgoorlie, WA (**Figure 2**).

The newly defined gold trend, known as the Spartan Prospect, is characterised by a 1.3km long >50ppb gold in soil anomaly with a peak value of 0.1g/t Au, within a broader 1.8km long >25ppb anomaly. This prospect remains open to the northeast, has never been drilled and is adjacent to both the Hornet East and Hornet West Prospects where significant supergene gold mineralisation was intersected in previous drilling. Additional surface sampling is required to define the extent of the Spartan anomaly and drilling approvals have been submitted.

DCX Managing Director, Toby Wellman, commented:

"The significance of this gold anomaly cannot be ignored, especially considering the size of the anomalous footprint and the grade of the results returned. The DiscovEx exploration team has been working diligently to unlock the exploration potential of the project, with the definition of the Spartan prospect a huge step in achieving this."








Figure 1: Soil anomaly at the Spartan Prospect (Background image TMI RTP)



GEOCHEMICAL SAMPLING

A program of 380 surface geochemical samples was completed on a 100 x200m grid pattern, east of the Hornet Prospects to follow-up on previous results of up to 0.14g/t Au (*refer announcement dated 25th January 2022* – *"Edjudina Exploration Results"*). Sampling successfully extended this result to the south, and also identified an additional, highly encouraging soil anomaly to the east. This newly identified anomaly, known as the Spartan Prospect, is characterised by a 1.3km long trend of anomalous gold results above 50ppb, peaking at 100ppb Au (0.1g/t Au). No drilling has tested this anomaly with the nearest holes located approximately 500m to the west, at Hornet East where previous drilling intersected gold mineralisation at the interface between fresh and weathered rock. Known as supergene mineralisation of gold from its source location.

The source of the supergene anomalies generated at both Hornet East and Hornet West where previous intersections include **7m@1.8g/t Au (HOAC032)** and **1m@5.3g/t Au (HOAC012)** (*refer announcement dated 14th April 2020 – "Supergene Gold at Edjudina*), remains unknown. The relative scale (1.3km long) and tenor (up to 0.1g/t Au) of the newly identified Spartan anomaly, represents an exceptional greenfields exploration target in an underexplored region of WA's Eastern Goldfields.

Additional sampling aimed at extending the Spartan anomaly to the north-east (**Figure 1**) will continue over the coming weeks, with regional sampling to continue south and west of the Jaguar Prospect (**Figure 2**). Programme of works applications have been submitted to the Department of Mines, Industry Regulation and Safety with drilling planned once these have been approved.

Farm-in Expenditure commitments met

In accordance with the Farm-in and Exploration Joint Venture Agreement between DiscovEx and private company Crest Investment Group 3 Limited, DiscovEx has now met the Farm-in requirements and now holds an 80% interest in tenements E28/2884, E31/1187, E31/1198, E31/1227, E39/2102, E39/2126, P31/2125 and P31/2126, part of the larger Edjudina Project. Both parties have entered into an unincorporated Joint Venture, with DiscovEx being the managers and operators.








Figure 2: The Edjudina Project with contoured gold in soil results.



Sample ID	Eacting	Northing	RL	Au pph	Sample ID	Easting	Northing	RL	Au_ppb
ES000001	Easting 477749	6703857	350	Au_ppb 2	ES001081	476753	Northing 6716159	350	5
ES000001	477852	6703854	350	2	ES001081 ES001082	476850	6716160	350	4
ES000002	477852	6703855	350	2	ES001082 ES001083	476952	6716154	350	3
ES000003	477951	6703858	350	4	ES001083	470952	6716157	350	2
-	-	6703850	350	2				350	6
ES000005	478148	6703850	350	3	 ES001085	477152 477252	6716155	350	5
ES000006	478252				 ES001086		6716158		3
ES000007	478349	6703856	350	1	 ES001087	477349	6716152	350	
ES000008	478446	6703858	350	2	 ES001088	477447	6716153	350	5
ES000009	478552	6703852	350	2	ES001089	477550	6716156	350	7
ES000010	478649	6703857	350	3	ES001090	477643	6716165	350	6
ES000011	478754	6703854	350	1	 ES001091	477753	6716157	350	3
ES000012	478851	6703852	350	1	ES001092	477852	6716157	350	2
ES000013	478951	6703858	350	2	 ES001093	477954	6716160	350	1
ES000014	479046	6703854	350	3	 ES001094	478049	6716160	350	3
ES000015	479154	6703852	350	2	ES001095	478152	6716157	350	5
ES000016	479251	6703856	350	2	ES001096	478249	6716161	350	4
ES000017	479355	6703855	350	2	ES001097	478350	6716158	350	7
ES000018	479450	6703857	350	2	ES001098	478447	6716156	350	7
ES000020	479649	6703858	350	2	ES001099	478553	6716154	350	4
ES000021	479754	6703856	350	1	ES001101	478648	6716160	350	2
ES000022	479855	6703860	350	1	ES001102	478743	6716155	350	1
ES000023	479949	6703857	350	-1	ES001103	478849	6716160	350	1
ES000024	480054	6703859	350	1	ES001104	478949	6716161	350	2
ES000025	480053	6703859	350	1	ES001105	479044	6716158	350	4
ES000026	480151	6703854	350	1	ES001106	479153	6716154	350	4
ES000027	480253	6703851	350	1	ES001107	479242	6716159	350	7
ES000028	480352	6703848	350	1	ES001108	479354	6716162	350	4
ES000029	480449	6703855	350	-1	ES001109	479455	6716152	350	4
ES000030	480546	6703858	350	-1	ES001110	479550	6716152	350	4
ES000031	480646	6703857	350	-1	ES001111	479654	6716160	350	5
ES000032	480751	6703856	350	-1	ES001112	476256	6716363	350	43
ES000033	480855	6703858	350	-1	ES001113	476356	6716357	350	23
ES000034	480950	6703848	350	1	ES001114	476458	6716358	350	24
ES000035	481051	6703859	350	-1	ES001115	476553	6716360	350	20
ES000036	481154	6703852	350	-1	ES001116	476658	6716356	350	13
ES000037	481248	6703851	350	-1	ES001117	476752	6716358	350	13
ES000038	481352	6703855	350	-1	ES001118	476845	6716356	350	8
ES000039	481455	6703850	350	-1	ES001119	476952	6716357	350	11
ES000040	481552	6703854	350	2	ES001120	477057	6716363	350	7
ES000041	481648	6703850	350	2	ES001121	477155	6716354	350	14
ES000042	481751	6703853	350	1	ES001122	477252	6716359	350	12
ES000043	481855	6703862	350	1	ES001123	477348	6716363	350	8
ES000112	478252	6704553	350	2	ES001124	474760	6716552	350	6
ES000112 ES000113	478349	6704549	350	2	ES001124	474760	6716552	350	5
ES000113	478451	6704556	350	2	ES001125	474848	6716557	350	12
ES000114	478557	6704549	350	1	ES001120	475052	6716555	350	17
ES000115	478655	6704551	350	2	ES001127	475148	6716556	350	8
ES000110	478750	6704559	350	2	ES001128	475252	6716555	350	24
ES000117	478852	6704555	350	1	ES001129	475348	6716562	350	12
ES000118 ES000119	478949	6704555	350	2	ES001130 ES001131	475348	6716555	350	25
ES000119	+	6704556	350		ES001131 ES001132	475545	6716551		
ES000120	479047 479150	6704556	350	-1	ES001132 ES001133	475753	6716551	350 350	26 40
ES000122	479250	6704557	350	1	ES001134	475847	6716553	350	21
ES000123	479358	6704560	350	2	ES001135	475949	6716551	350	23
ES000124	479452	6704554	350	1	ES001136	476039	6716561	350	20
ES000125	479451	6704553	350	1	ES001137	476151	6716563	350	18
ES000126	479551	6704559	350	-1	ES001138	476255	6716560	350	27
ES000127	479646	6704559	350	1	ES001139	476347	6716551	350	62
ES000128	479752	6704552	350	2	ES001140	476458	6716559	350	47
ES000129	479845	6704551	350	5	ES001141	476548	6716560	350	30

Table 1: Soil sampling locations and gold values (ppb Au)





ES000130	479957	6704557	350	2	ES001142	476649	6716560	350	9
ES000131	480051	6704556	350	1	ES001143	476753	6716558	350	11
ES000132	480157	6704554	350	1	ES001144	476852	6716555	350	16
ES000133	480249	6704552	350	9	ES001145	476947	6716553	350	5
ES000134	480346	6704563	350	2	ES001146	477053	6716557	350	6
ES000135	480450	6704558	350	1	ES001140	477150	6716560	350	14
ES000958	474751	6715755	350	17		477249	6716558	350	14
				21	 ES001148			350	8
ES000959	474852	6715757	350		ES001149	477351	6716560		
ES000961	474950	6715756	350	15	ES001151	477441	6716553	350	14
ES000962	475060	6715758	350	21	ES001152	477538	6716558	350	14
ES000963	475158	6715760	350	17	ES001153	477644	6716555	350	5
ES000964	475247	6715760	350	16	ES001154	477746	6716557	350	5
ES000965	475352	6715753	350	11	ES001155	477844	6716557	350	4
ES000966	475456	6715755	350	15	ES001156	477940	6716558	350	6
ES000967	475555	6715760	350	13	ES001157	478041	6716557	350	6
ES000968	475645	6715767	350	12	ES001158	478142	6716559	350	5
ES000969	475755	6715765	350	9	ES001159	478244	6716555	350	4
ES000970	475855	6715763	350	7	ES001160	478341	6716555	350	1
ES000971	475948	6715765	350	8	ES001160	478443	6716552	350	2
ES000971		6715757	350	8	ES001161	478546	6716559	350	2
	476056				 				
ES000973	476155	6715755	350	6	 ES001163	478643	6716557	350	4
ES000974	476252	6715751	350	4	ES001164	478739	6716557	350	4
ES000975	476252	6715751	350	4	ES001165	478846	6716558	350	4
ES000976	476352	6715757	350	5	ES001166	478942	6716557	350	5
ES000977	476454	6715750	350	7	ES001167	479045	6716554	350	4
ES000978	476560	6715754	350	5	ES001168	479142	6716561	350	3
ES000979	476656	6715755	350	3	ES001169	479246	6716556	350	4
ES000980	476754	6715754	350	4	ES001170	479344	6716558	350	8
ES000981	476848	6715757	350	5	ES001171	479441	6716560	350	3
ES000982	476956	6715756	350	3	ES001172	479545	6716552	350	7
ES000983	477054	6715752	350	1	ES001173	479646	6716553	350	4
ES000984	477155	6715757	350	2	ES001173	476050	6716758	350	15
	477254	6715755	350	2				350	9
ES000985					 ES001175	476050	6716757		
ES000986	477355	6715754	350	1	 ES001176	476157	6716750	350	8
ES000987	477447	6715762	350	2	ES001177	476256	6716756	350	6
ES000988	477558	6715757	350	3	ES001178	476355	6716754	350	26
ES000989	477648	6715753	350	4	ES001179	476457	6716758	350	100
ES000990	477748	6715763	350	4	ES001180	476554	6716760	350	95
ES000991	477850	6715764	350	4	ES001181	476656	6716756	350	68
ES000992	477945	6715757	350	4	ES001182	476753	6716755	350	30
ES000993	478049	6715757	350	2	ES001183	476855	6716754	350	19
ES000994	478148	6715752	350	-1	ES001184	476954	6716752	350	13
ES000995	478246	6715754	350	-1	ES001185	477052	6716754	350	9
ES000996	478352	6715753	350	2	ES001186	477158	6716750	350	11
ES000997	478447	6715755	350	2	ES001180	477255	6716753	350	6
ES000997	478552	6715753	350	2	ES001187 ES001188	477355	6716753	350	11
	478552								
ES000999		6715757	350	3	ES001189	477445	6716758	350	12
ES001001	478747	6715754	350	2	ES001190	477546	6716757	350	15
ES001002	478848	6715756	350	2	ES001191	477641	6716752	350	9
ES001003	478947	6715758	350	2	ES001192	477741	6716754	350	9
ES001004	479048	6715757	350	4	ES001193	477843	6716758	350	12
ES001005	479150	6715761	350	2	ES001194	477938	6716753	350	11
ES001006	479245	6715758	350	1	ES001195	478048	6716757	350	7
ES001007	479347	6715756	350	1	ES001196	478144	6716756	350	11
ES001008	479448	6715754	350	2	ES001197	478242	6716757	350	4
ES001009	479545	6715757	350	3	ES001198	478345	6716759	350	5
ES001010	479650	6715758	350	1	ES001199	478442	6716756	350	7
ES001011	476455	6715959	350	5	ES001100	478541	6716762	350	4
ES001011 ES001012	476559	6715954	350	3	ES001201 ES001202	478541	6716758	350	3
ES001013	476656	6715952	350	6	ES001203	478744	6716758	350	10
ES001014	476755	6715954	350	5	ES001204	478847	6716755	350	4
ES001015	476855	6715956	350	4	ES001205	478942	6716757	350	4
FC00404C	476954	6715957	350	4	ES001206	479045	6716758	350	4
ES001016	170501								5





ES001018	477155	6715957	350	3	ES001208	479245	6716756	350	8
ES001019	477257	6715957	350	2	ES001209	479344	6716754	350	9
ES001020	477357	6715956	350	2	ES001210	479442	6716755	350	4
ES001021	477451	6715960	350	3	ES001211	479546	6716757	350	5
ES001022	477556	6715961	350	5	ES001211	479646	6716752	350	7
ES001022	477653	6715958	350	7	ES001212 ES001213	479741	6716758	350	6
	477053	6715956	350	5	ES001213	479741	6716755		
ES001024								350	5
ES001025	477753	6715956	350	6	 ES001215	480141	6716759	350	5
ES001026	477851	6715953	350	5	ES001216	480345	6716754	350	3
ES001027	477950	6715957	350	3	ES001217	480548	6716757	350	3
ES001028	478053	6715955	350	5	ES001218	480744	6716758	350	5
ES001029	478153	6715959	350	5	ES001219	480941	6716759	350	13
ES001030	478248	6715959	350	2	ES001220	481144	6716752	350	6
ES001031	478349	6715958	350	2	ES001221	481341	6716756	350	3
ES001032	478455	6715957	350	3	ES001222	481546	6716752	350	3
ES001033	478545	6715958	350	3	ES001223	481743	6716757	350	5
ES001034	478646	6715956	350	3	ES001224	481945	6716751	350	6
ES001035	478752	6715954	350	-1	ES001225	481945	6716751	350	6
ES001036	478846	6715955	350	1	ES001225	482142	6716753	350	4
ES001030	478950	6715953	350	2	ES001220	474750	6716954	350	4
ES001038	479049	6715954	350	4	ES001228	474849	6716957	350	9
ES001039	479147	6715957	350	3	ES001229	474956	6716954	350	6
ES001040	479249	6715960	350	3	ES001230	475059	6716954	350	10
ES001041	479347	6715953	350	-1	ES001231	475156	6716957	350	10
ES001042	479452	6715959	350	3	ES001232	475257	6716956	350	29
ES001043	479555	6715959	350	4	ES001233	475355	6716957	350	5
ES001044	479648	6715959	350	3	ES001234	475459	6716951	350	11
ES001045	479746	6715959	350	3	ES001235	475553	6716952	350	13
ES001046	479949	6715962	350	4	ES001236	475755	6716957	350	22
ES001047	480153	6715956	350	2	ES001237	475856	6716954	350	17
ES001048	480350	6715954	350	4	ES001237	475958	6716954	350	10
				2					9
ES001049	480549	6715960	350	4	ES001239	476051	6716953	350	12
ES001051	480751	6715957	350		ES001240	476154	6716956	350	
ES001052	480952	6715956	350	6	ES001241	476255	6716955	350	14
ES001053	481146	6715956	350	5	ES001242	476355	6716958	350	17
ES001054	481351	6715958	350	4	ES001243	476458	6716954	350	23
ES001055	481551	6715954	350	4	ES001244	476553	6716952	350	15
ES001056	481747	6715954	350	4	ES001245	476651	6716954	350	58
ES001057	481952	6715961	350	3	ES001246	476753	6716955	350	73
ES001058	482156	6715953	350	2	ES001247	476855	6716951	350	57
ES001059	482351	6715955	350	4	ES001248	476951	6716954	350	27
ES001060	474754	6716161	350	8	ES001249	477052	6716957	350	54
ES001061	474843	6716158	350	17	ES001251	477152	6716951	350	22
ES001062	474951	6716160	350	21	ES001252	477254	6716955	350	9
ES001063	475047	6716158	350	21	ES001252	477352	6716959	350	7
	-		350	14		477352			
ES001064	475149	6716159			ES001254		6716954	350	20
ES001065	475249	6716156	350	12	ES001255	477545	6716952	350	16
ES001066	475347	6716148	350	9	ES001278	476052	6717157	350	28
ES001067	475455	6716158	350	11	ES001279	476151	6717159	350	18
ES001068	475552	6716161	350	23	ES001280	476249	6717158	350	12
ES001069	475656	6716155	350	15	ES001281	476347	6717154	350	7
ES001070	475757	6716150	350	27	ES001282	476450	6717158	350	16
ES001071	475853	6716160	350	36	ES001283	476555	6717158	350	11
ES001072	475950	6716161	350	23	ES001284	476648	6717154	350	5
ES001073	476054	6716154	350	24	ES001285	476749	6717157	350	5
ES001074	476151	6716163	350	30	ES001286	476848	6717152	350	11
ES001075	476151	6716163	350	25	ES001287	476950	6717153	350	36
ES001075	476254	6716154	350	32	ES001287	477051	6717153	350	67
ES001078	476234	6716159	350	25	ES001288 ES001289	477152	6717159		14
								350	
ES001078	476457	6716158	350	8	ES001290	477250	6717156	350	12
ES001079	476551	6716153	350	10	ES001291	477352	6717157	350	18
ES001080	476654	6716154	350	7	ES001292	477441	6717155	350	18
					ES001293	477541	6717151	350	9



Competent Person's Statement

The information in this announcement that relates to Exploration Results is based on and fairly represents information and supporting documentation compiled by Mr Toby Wellman, a competent person who is a Member of The Australasian Institute of Mining and Metallurgy (MAusIMM). Mr Wellman has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (the "JORC Code"). Mr Wellman is the Executive Managing Director of DiscovEx Resources Limited and consents to the inclusion in this announcement of the Exploration Results in the form and context in which they appear.

The forward-looking statements in this announcement are based on the Company's current expectations about future events. They are, however, subject to known and unknown risks, uncertainties and assumptions, many of which are outside the control of the Company and its Directors, which could cause actual results, performance or achievements to differ materially from future results, performance or achievements expressed or implied by the forward-looking statements in this announcement. Forward looking statements generally (but not always) include those containing words such as 'anticipate', 'estimates', 'should', 'will', 'expects', 'plans' or similar expressions.

Authorised for release by and investor enquiries to: Mr Toby Wellman Managing Director T: 08 9380 9440

JORC CODE 2012 EDITION TABLE 1

Section 1 Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	 Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 	Soil sampling – Samples were collected from a depth between 5-30cm below surface and sieved in the field to -0.5mm, achieving a sample weight between 100g - 200g.
Drilling techniques	• Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	Soil sampling – Completed by a third party field crew – Omni Geox. Crews are familiar with industry standard sampling as detailed in their Company's standard operating procedures.





Criteria	JORC Code explanation	Commentary
Drill sample recovery	 Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	No drilling results reported within this announcement
Logging	 Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. 	Soil sampling – Additional comments were added summarising the type of soil sampled and the lithology of nearby subcrop/outcrop.
Sub-sampling techniques and sample preparation	 If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all subsampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. 	Soil Sampling – sieved to -0.5mm in the field and sent to the laboratory for further sieving down to -80mesh. No further sample preparation was completed. No standards or blanks were completed by DiscovEx with all QAQC samples submitted by Minanalytical including Standards inserted every 25th sample and blanks inserted every 50th sample. Field duplicates were taken every 100 th sample; Lab checks were completed every ~25-30 samples. The sample sizes are appropriate for the first pass nature of the exploration.
Quality of assay data and laboratory tests	 The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. 	Soil sampling– submitted to Minanalytical (Perth). Multi-element analysis including gold was completed using 10g aqua regia with an MS finish. Aqua regia is considered a partial digest. No geophysical tools were used to determine any element concentrations used in the reported results. No standards or blanks were completed by DiscovEx with all QAQC samples submitted by Minanalytical including Standards inserted every 25th sample and blanks inserted every 50th sample.
Verification of sampling and assaying	 The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. 	Sampling personnel movements are logged via GPS and spot trackers, confirming locations of sampling points. Sampling from drilling was supervised by senior personnel to ensure samples were collected from their corresponding interval. Data is recorded digitally at the project within standard industry software with assay results received digitally also. All data is stored within a suitable database. No assay





Criteria	JORC Code explanation	Commentary
		adjustments have been made.
Location of data points	 Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. 	Sample locations recorded with a handheld Garmin GPS (+/- 3m). Sampling personnel movements are logged via GPS and spot trackers, confirming locations of sampling points. Grid System – MGA94 zone 51 Soil samples - Collected on 100 x 200m grid pattern. No information is available on the quality or adequacy of topographic control.
Data spacing and distribution	 Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	Soil samples - Sample spacing is insufficient to establish geological or grade continuity.
Orientation of data in relation to geological structure	 Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	Soil sampling – Samples were collected on 100 x 400m and 100 x 200m grid pattern, avoiding locations which have already been sampled.
Sample security	• The measures taken to ensure sample security.	Soil sampling - Sample paper packets were stored in boxes of 100 and delivered by sample crews directly to the Minanalytical Perth lab.
Audits or reviews	• The results of any audits or reviews of sampling techniques and data.	No audits or reviews of the sampling technique were completed.

Criteria	JORC Code explanation						
Section 2 – Reporting of	Exploration Results						
Mineral tenement and land tenure status	Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.	Soil sampling was conducted within tenements E39/1882 and E39/2178. DCX holds an 80% interest in E39/1882 with the remaining 20% owned by Gateway Projects WA Pty Ltd. A 1.5% royalty on future production greater than 200,000 oz of gold or equivalent is also in place over E39/1882. E39/2178 is owned 100% by DCX with no royalties.					
	The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	All tenements are in good standing					
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	Exploration has been undertaken by several companies over time including but not limited to Dominion Mining, Arimco Mining Limited and Delta Gold. This work was largely limited to surface geochemistry, surface					





		geophysics and shallow aircore and RAB drilling with only minor deeper RC drilling being undertaken.
Geology	Deposit type, geological setting and style of mineralisation.	Exploration is for shear hosted gold and komatiitic nickel deposits typical of the Yilgarn Region of Western Australian
	A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:	Refer to Table 1 within this Announcement.
	Easting and northing of the drill hole collar	No drilling results reported within this announcement
	Elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar	No drilling results reported within this announcement
	Dip and azimuth of the hole	No drilling results reported within this announcement
Drill hole Information	Down hole length and interception depth	No drilling results reported within this announcement
	Hole length.	No drilling results reported within this announcement
	If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	No drilling results reported within this announcement
	In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.	No alteration to the results were completed.
Data aggregation methods	Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.	No drilling results reported within this announcement
	The assumptions used for any reporting of metal equivalent values should be clearly stated.	No metal equivalents have been used within this announcement
	These relationships are particularly important in the reporting of Exploration Results.	No relationship between widths and intercept lengths have been made as all results are point samples
Relationship between mineralisation widths	If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.	Mineralisation is poorly understood and no comments on its nature can be made with confidence at this stage.
and intercept lengths	If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').	No drilling results reported within this announcement
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	Refer to figures 1 and 2 within this Announcement.



Balanced reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	All results (both high and/or low) have been used when included within this announcement.
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	No other exploration other than that mentioned above has been used.
	The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).	Additional soil sampling is proposed to extent the existing anomalies.
Further work	Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	Refer to figures 1 and 2 within this Announcement.